



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/661,870	09/11/2003	Takeshi Miyachi	1232-5147	8979
27123	7590	03/04/2005		
MORGAN & FINNEGAN, L.L.P. 3 WORLD FINANCIAL CENTER NEW YORK, NY 10281-2101			EXAMINER NGUYEN, HUNG	
			ART UNIT 2851	PAPER NUMBER

DATE MAILED: 03/04/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/661,870

Applicant(s)

MIYACHI ET AL.

Examiner

Hung Henry V. Nguyen

Art Unit

2851

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 03 February 2005.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-15 is/are pending in the application.
- 4a) Of the above claim(s) 1-9 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 10-15 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 11 September 2003 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date August & October/04.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Election/Restrictions

1. Applicant's election with traverse of group II (claims 10-15) in the reply filed on 2/3/2005 is acknowledged. The traversal is on the ground(s) that "all groups of claims are properly presented in a same application and the examination of entire application would not place a burden on the Examiner". This is not found persuasive because while group I is explicitly related to a mirror retainer and mirror exchange method, having specific structures for retaining/positioning and cooling the mirror, group II is related to an exposure apparatus for transferring a pattern formed on a reticle onto a substrate. As such, the distinct and separate searches are quite extensive and place serious burden on the Examiner in regard to both examination and search.

The requirement is still deemed proper and is therefore made FINAL.

Specification

2. The specification should be carefully reviewed and ensure that any and all grammatically, idiomatic, and spelling or other minor errors are corrected. The specification of the present application is objected to since on page 12, line 2, reference to "integrator124" should read --integrator 124-- and reference to "a wall 122" on page 12, line 26 should be --a wall 112--. Correction is required.

Drawings

3. The drawings are objected to because in figure 6, box 504, reference to "FRANGE" should be --FLANGE--. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are

Art Unit: 2851

required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

4. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

5. Claims 10-15 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 10, 12 and 14 recites the limitation "the plasma" in line 9 (see claim 10 for example). There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 102

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

7. Claims 10-15 are rejected under 35 U.S.C. 102(b) as being anticipated by Kasumi et al (U.S.Pat. 5,572,563).

With respect to claims 10-13, Kasumi et al discloses an illumination apparatus for transferring a pattern formed on a mask onto a substrate (see col.1, lines 13-18) and comprising all basic features of the instant claims such as: a chamber (6) has a wall and a lid openably provided on the wall and generates a reduced pressure environment (see figure 1); a projection unit for projecting the predetermined pattern form on the mask onto the substrate (see claim 8) and a mirror (1) accommodated in the chamber and provided near an emission point of a light source for condensing the light and an elastic member (4) that connect the mirror elastically to the lid (6a) (see col.4, lines 50-59). Kasumi further teaches the light source is X-ray light source (see col.1, line 17, for example).

As to claims 14-15, the claimed method is seen to be inherent teachings in view of the existence of the above apparatus.

Prior Art Made of Record

8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Art Unit: 2851

Kondo (U.S.Pat. 6,504,903) discloses a laser excited plasma light source exposure having an illumination apparatus (70) for illuminating a mask (R) that forms a pattern; a projection optical system (PO) for projecting the pattern onto a substrate (W) to be exposed; and a vacuum chamber (100) for generating a reduced pressure environment and the chamber includes a plurality of mirrors (107) accommodated in the chamber and provided near an emission point of a light source for generating light from the laser plasma light source for condensing the light.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hung Henry V. Nguyen whose telephone number is 571-272-2124. The examiner can normally be reached on Monday-Friday (First Friday off).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Judy Nguyen can be reached on 571-272-2258. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

hvn
2/26/05



HENRY HUNG NGUYEN
PRIMARY EXAMINER